

Directions for Use

Our 3 Golden Rules that lead to success using any of the Dr Kruger Pet Supplements Formulas.



Dr Kruger
Pet Supplements

1. The formulas are dosed based on the amount of food your pet eats per meal; this is the only true way to determine the proper amount of supplement/s your pet should be getting. Your goal is to get your dog up to 1 full scoop per one cup of food and your cat up to the equivalent amount of supplement/s based on the amount of food being fed.
2. This **will not** work if you are trying to give supplements to more than one pet in a "free feeding" environment. This is based on predictive feeding as explained above.
3. You must follow our dosage instructions; your pet must have the supplement/s on **every meal**; skipping days or only giving the supplement/s on one meal a day (unless your pet only gets one meal a day) will not be sufficient for the supplement/s to do their job properly.

DIRECTIONS FOR USE - DOGS:

Introducing anything new into your dog or cats' diet should be done slowly over a **7 to 10** day period. This will allow your dogs system to get use to the new addition and reduce the likelihood of causing issues. For dogs and cats with very sensitive systems, consider stretching the introduction period out a little longer than 7 to 10 days. You know your dog better than anyone else; you are in the best position to judge how slowly you so go.

For all breeds of dogs:

Instructions:

Start off with just a pinch; this should be just enough to cover the bottom of the scoop (you should not be able to see the plastic bottom). Over the next 7 to 10 days (based on 1 cup of food per feeding) you will gradually add more supplement to the scoop go from:

Day 1: Just a pinch on each meal

Day 2: 2 pinches on each meal

Day 3: 3 pinches on each meal and so on...

Until you reach the desired dosage of 1 full scoop (teaspoon) per 1 cup of food.

Remember this has to go on each meal to achieve the desired results. For best results you should provide the supplement with each feeding.

Watch the dog's stools; if the stools get soft you know you are building too quickly for that dog. Just back down a little on the amount given and leave it at that level until the stools firm up. Then you can start increasing the amount again until you reach the full dosage.

DIRECTIONS FOR USE - CATS:

Introducing anything new into your cat's diet should be done slowly over a **7 to 10** day period. This will allow your cats system to get use to the new addition and reduce the likelihood of causing issues. For cats with very sensitive systems, consider stretching the introduction period out a little longer than 7 to 10 days. You know your cat better than anyone else; you are in the best position to judge how slowly you so go.

For all breeds of cats:

Instructions:

Start off with just a pinch; this should be just enough to cover the bottom of the scoop (you should not be able to see the plastic bottom). Over the next 7 to 10 days (based on 1 cup of food per feeding) you will gradually add more supplement to the scoop go from:

Day 1: Just a pinch on each meal

Day 2: 2 pinches on each meal

Day 3: 3 pinches on each meal and so on...

Note: It is doubtful that your cat will eat more than 1/2 cup per feeding; you will most likely never reach one full scoop per one cup of food. That is ok because it is based on the cat's food intake. Just make sure your cat is getting the proper dosage for the amount of food he or she is eating per meal.

TIP: Most cats like a little gravy with their food; you can always add just enough warm water to melt the powder, mix good into the food so it coats all of the food in the bowl.

If your cat eats more than one cup of food or less than one cup of food per feeding you should adjust the increments accordingly.

Dr Kruger Puppy & Pregnancy Dog Formula

*** NOTE ***

"This formula is to be used on pregnant females at conception through the last puppy that is weaned. The female needs to stop getting this formula and should transition to the appropriate formula for her age, condition and needs. The puppies can continue to receive this formula until they are 6 months of age. Once the puppies are 6 months old they need to be transitioned to one of the other formulas based on their needs. At a minimum the puppies should transition to Everyday Health Formula."



One scoop per cup of food. Use with each feeding. Liver loosens the stool until the dogs adapt. To avoid diarrhea, start with just a pinch; this should be just enough to cover the bottom of the scoop (you should not be able to see the plastic bottom). Over the next 7 to 15 days (based on 1 cup of food per feeding) you will gradually add more supplement to the scoop go from:

Day 1: Just a pinch on each meal

Day 2: 2 pinches on each meal

Day 3: 3 pinches on each meal and so on...

Until you reach the desired dosage of 1 full scoop (teaspoon) per 1 cup of food.

Remember this has to go on each meal to achieve the desired results.

Note: You should always monitor your female while she is nursing her litter. Note the amount of milk she is producing. Should she start to produce an over abundance of milk you should reduce the amount of Puppy & Pregnancy Formula she is getting on each meal until the milk she is producing is proportional to the amount of milk needed by the nursing litter.

Puppy & Pregnancy Formula is for all breeds of puppies between weaned and 6 months old:

Using the scoop provided, sprinkle one level scoop over each cup of food. Use with each feeding. Incorporate with your dog's regular feedings to help give your dog the complete nutrition they were intended to have. Daily use will help produce strong newborn puppies that have both hearty appetites and strengthened immune systems.

Maximum Dosage - Giving 2 or more of our formulas to your dog?

If you need to combine 2 or more of our formulas like Healthy Skin & Coat and Healthy Joint Formula you are able to give a combined **maximum combined dosage** of 1 1/2 scoops or teaspoons per one cup of food.

Example:

Let's say your dog needs a higher level of coat support and joint maintenance, an example of how you would give both is listed below;

- 1 full scoop of Healthy Skin & Coat Formula
- 1/2 scoop of Healthy Joint Formula

per cup of food.

Container Servings

Size

5 oz = 40 Servings

10 oz = 80 Servings

20 oz = 160 Servings

54.75 oz = 438 Servings



Have a picky eater on your hands? Having trouble getting them to eat their formula?

Some of our customers have found easy ways to ensure that their beloved dog or cat gets their formula everyday mealtime by doing the following

1. Put their formula in a small portion of cottage cheese, mix well and give it as an after meal treat.
2. Put their formula in a small portion of yogurt, mix well and give it as an after meal treat.
3. Mixing the formula with a small portion of peanut butter and given as an after meal treat has also been known to achieve the desired results.
4. Dr Kruger Pet Supplements also makes a **Flavor Enhanced** version of our formulas that also solves the picky eater problem. For more information about or **Flavor Enhanced Formulas** please call our Toll Free number **1-800-711-8736** and we will be happy to help you!

You know your pet better than anyone else... trust your instincts and you will find a delivery method that works best for your particular pet!